

-	0	(bus near4 stall\$3) same ((prior or before) near9 (processor\$1 near4 initializ\$5))	USPAT	2004/02/04 14:12
-	0	(bus near4 stall\$3) same ((prior or before) near9 (processor\$1 near4 initializ\$5))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 14:12
-	22	5938765.URPN.	USPAT	2004/07/13 13:09
-	0	((select\$3 or elect\$3) with (bsp or (bootstrap adj1 processor))) and US-5659748-A.DID.	USPAT	2004/07/13 13:11
-	0	(bsp or (bootstrap adj1 processor)) and US-5659748-A.DID.	USPAT	2004/07/13 13:11
-	1	(operable near2 processor\$1) with (select\$3 or elect\$3) same (bsp or (bootstrap adj1 processor))	US-PGPUB	2004/07/13 13:17
-	0	(operable near2 processor\$1) with (select\$3 or elect\$3) same (bsp or (bootstrap adj1 processor))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 13:18
-	0	((select\$3 or elect\$3) with (bsp or (bootstrap adj1 processor))) and ((complete\$3 or pass\$2) near3 (initializ\$3 or initialization))	EPO; JPO; DERWENT; IBM_TDB	2004/07/13 13:39
-	8	((select\$3 or elect\$3) with (bsp or (bootstrap adj1 processor))) and ((complete\$3 or pass\$2) near3 (initializ\$3 or initialization))	USPAT	2004/07/13 13:35
-	268	(complete\$3 or pass\$2) near3 (initializ\$3 or initialization) near8 (processor\$1 or node\$1)	USPAT	2004/07/13 13:36
-	19	(complete\$3 or pass\$2) near3 (initializ\$3 or initialization) near8 (processor\$1 or node\$1)	JPO; IBM_TDB	2004/07/13 13:37
-	7	(complete\$3 or pass\$2) near3 (initializ\$3 or initialization) near8 (processor\$1 or node\$1)	EPO; DERWENT	2004/07/13 13:37
-	104	(master or bsp or bootstrap) and ((complete\$3 or pass\$2) near3 (initializ\$3 or initialization) near8 (processor\$1 or node\$1))	USPAT	2004/07/13 13:41
-	22	(master or bsp or bootstrap) same ((complete\$3 or pass\$2) near3 (initializ\$3 or initialization) near8 (processor\$1 or node\$1))	USPAT	2004/07/13 13:41
-	511	processor\$1 near5 wait\$1 near5 complete\$1	USPAT	2004/07/15 10:32
-	31	(processor\$1 near5 wait\$1 near5 complete\$1) same synchroniz\$5	USPAT	2004/07/15 10:26
-	5	(initializ\$5 near3 processor\$1) near5 wait\$1 near5 complete\$1	USPAT	2004/07/15 13:48
-	0	(initializ\$5 near3 processor\$1) near5 wait\$1 near5 complete\$1	EPO; JPO; DERWENT; IBM_TDB	2004/07/15 10:31
-	0	all near2 processor\$1 near5 complete\$1	USPAT	2004/07/15 10:32
-	0	all near2 processor\$1 near5 complete\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 10:32
-	0	all near2 processor\$1 near5 initializ\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 10:33
-	604	processors near5 initializ\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 11:04
-	39	(processors near5 initializ\$5) with (pass\$2 or finish\$2 or complete\$1 or done)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 13:37
-	22	5938765.URPN.	USPAT	2004/07/15 11:02

-	49	(processors near5 initializ\$5) same synchroniz\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 11:05
-	2	((processors near5 initializ\$5) same synchroniz\$5) same wait	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 11:05
-	20	5938765.URPN. and (pass\$2 or finish\$2 or complete\$1 or done)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 11:09
-	5	(determin\$3 or indicat\$3) with (processors near5 initializ\$5) with (pass\$2 or finish\$2 or complete\$1 or done)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:15
-	105	synchroniz\$5 with (wait\$1 near5 complet\$4)	USPAT	2004/07/15 14:24
-	30	(synchroniz\$5 with (wait\$1 near5 complet\$4)) same (node\$1 or processor\$1)	USPAT	2004/07/15 13:50
-	6	(synchroniz\$5 with (wait\$1 near5 complet\$4)) same hold\$3	USPAT	2004/07/15 13:52
-	7	synchroniz\$5 with (wait\$1 near5 complet\$4)	EPO; JPO; DERWENT; IBM_TDB	2004/07/15 13:51
-	0	"3614745" and (synchroniz\$5 with (wait\$1 near5 complet\$4))	USPAT	2004/07/15 13:52
-	3	(synchroniz\$5 with (wait\$1 near5 complet\$4)) and g06f\$.ipc.	USPAT	2004/07/15 14:23
-	67	(synchroniz\$5 with (wait\$1 near5 complet\$4)) and g06f\$.ipc.	USPAT	2004/07/15 14:02
-	71	"3614745"	USPAT	2004/07/15 14:23
-	2	synchroniz\$5 with (wait\$1 near5 complet\$4) with initializ\$5	USPAT	2004/07/15 17:22
-	0	synchroniz\$5 with (wait\$1 near5 complet\$4) with initializ\$5	EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:27
-	8	"5519877"	USPAT	2004/07/15 14:27
-	8	synchroniz\$5 and "5519877"	USPAT	2004/07/15 14:28
-	1	(wait\$1 near5 complet\$4) and "5519877"	USPAT	2004/07/15 14:28
-	4	synchroniz\$5 with (wait\$1 near5 complet\$4) same initializ\$5	USPAT	2004/07/15 14:29
-	3	synchroniz\$5 with (wait\$1 near5 complet\$4) with (each or every)	USPAT	2004/07/15 14:34
-	18	("3737858" "4028667" "4228495" "4412303" "4509013" "4561017" "4748588" "4789789" "4799001" "4811367" "4969089" "4975834" "5056000" "5121390" "5123089" "5163149" "5271033" "5365228").PN.	USPAT	2004/07/15 14:35
-	0	synchroniz\$5 with (wait\$1 near5 complet\$4) with all	USPAT	2004/07/15 14:37
-	0	synchroniz\$5 with (wait\$1 near5 complet\$4) same all	USPAT	2004/07/15 15:49
-	3	synchroniz\$5 with (wait\$1 near5 complet\$4) same inhibit\$3	USPAT	2004/07/15 14:38
-	105	synchroniz\$5 with (wait\$1 near5 complet\$4)	USPAT	2004/07/15 15:28
-	19	(synchroniz\$5 with (wait\$1 near5 complet\$4)) same (boot\$3 or start-up or start\$3)	USPAT	2004/07/15 16:18
-	52	23.ab.	USPAT	2004/07/15 14:59
-	4	(synchroniz\$5 with (wait\$1 near5 complet\$4)) and 709/400.ccls.	USPAT	2004/07/15 15:28
-	861	(wait\$1 near5 complet\$4) with (initializ\$5 or boot\$3 or start-up or start\$3)	USPAT	2004/07/15 15:58
-	145	((wait\$1 near5 complet\$4) with (initializ\$5 or boot\$3 or start-up or start\$3)) same (cpu or processor\$1 or bootstrap)	USPAT	2004/07/15 15:58
-	2	(wait\$1 near5 complet\$4) with (initializ\$5 or boot\$3 or start-up or start\$3)	EPO	2004/07/15 15:35

-	25	((wait\$1 near5 complet\$4) with (initializ\$5 or boot\$3 or start-up or start\$3)) same (multiple or plural or plurality)	USPAT	2004/07/15 15:40
-	12	synchroniz\$5 with (wait\$1 near5 complet\$4) with signal\$1	USPAT	2004/07/15 15:49
-	938	majority near3 vot\$3	USPAT	2004/07/15 15:57
-	85	33.ab.	USPAT	2004/07/15 15:57
-	130	(majority near3 vot\$3) same (cpu or processor\$1 or bootstrap)	USPAT	2004/07/15 15:58
-	0	(wait\$1 near5 complet\$4) with (majority near3 vot\$3)	USPAT	2004/07/15 15:58
-	2	(wait\$1 near5 complet\$4) same (majority near3 vot\$3)	USPAT	2004/07/15 15:59
-	0	synchroniz\$5 with (wait\$1 near5 complet\$4) with vot\$3	USPAT	2004/07/15 15:59
-	0	synchroniz\$5 with (wait\$1 near5 pass\$2) with initializ\$5	USPAT	2004/07/15 16:07
-	0	synchroniz\$5 with (wait\$1 near5 pass\$2) with initializ\$5	EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:06
-	12	(wait\$1 near5 pass\$2) with initializ\$5	USPAT	2004/07/15 17:49
-	0	synchroniz\$5 with (wait\$1 near5 pass\$2) with (processors)	USPAT	2004/07/15 16:08
-	0	synchroniz\$5 with (wait\$1 near5 pass\$2) with (processors)	USPAT	2004/07/15 16:08
-	3938	(determin\$3 or indicat\$3) with (processors or cpu) with (pass\$2 or finish\$2 or complete\$1 or done)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:19
-	271	((determin\$3 or indicat\$3) with (processors or cpu) with (pass\$2 or finish\$2 or complete\$1 or done)) with (initializ\$5 or boot\$3 or start-up or start\$3)	USPAT	2004/07/15 16:19
-	1	45.ab.	USPAT	2004/07/15 16:18
-	610	(determin\$3 or indicat\$3) with (processors) with (pass\$2 or finish\$2 or complete\$1 or done)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:02
-	18	((determin\$3 or indicat\$3) with (processors) with (pass\$2 or finish\$2 or complete\$1 or done)) with (initializ\$5 or boot\$3 or start-up or start\$3)	USPAT	2004/07/15 17:37
-	67	synchroniz\$5 with (wait\$1 near5 (finish\$2 or done))	USPAT	2004/07/15 17:36
-	0	(synchroniz\$5 with (wait\$1 near5 (finish\$2 or done))) with (every or all or each)	USPAT	2004/07/15 17:23
-	55	(synchroniz\$5 with (wait\$1 near5 (finish\$2 or done))) and (every or all or each)	USPAT	2004/07/15 17:24
-	1	(synchroniz\$5 with (wait\$1 near5 (finish\$2 or done))) same (every or all or each)	USPAT	2004/07/15 17:24
-	0	synchroniz\$5 with (wait\$1 near5 (finish\$2 or done))	EPO; DERWENT	2004/07/15 17:24
-	2	synchroniz\$5 with (wait\$1 near5 (finish\$2 or done))	JPO; IBM_TDB	2004/07/15 17:24
-	317	whether with (wait\$1 near5 (complet\$4 or finish\$2 or done))	USPAT	2004/07/15 17:49
-	26	(whether with (wait\$1 near5 (complet\$4 or finish\$2 or done))) with (initializ\$5 or boot\$3 or start-up or start\$3)	USPAT	2004/07/15 17:37
-	32770	whether near5 (complet\$4 or finish\$2 or done)	USPAT	2004/07/15 17:49
-	333	(whether near5 (complet\$4 or finish\$2 or done)) with initializ\$5	USPAT	2004/07/16 09:03
-	2	60.ab.	USPAT	2004/07/15 17:50
-	16	60.clm.	USPAT	2004/07/15 17:50
-	0	(whether near3 (each or every or all) near5 (complet\$4 or finish\$2 or done)) with initializ\$5	USPAT	2004/07/16 09:04

-	0	(whether near3 (each or every or all) near9 (complet\$4 or finish\$2 or done) with initializ\$5	USPAT	2004/07/16 09:04
-	0	(whether near3 (each or every or all) with (complet\$4 or finish\$2 or done) with initializ\$5	USPAT	2004/07/16 09:05
-	0	(whether near3 (each or every or all) with (complet\$4 or finish\$2 or done) with initializ\$5	EPO; JPO; DERWENT; IBM_TDB	2004/07/16 09:05
-	0	whether near3 (each or every or all) with (complet\$4 or finish\$2 or done) with initializ\$5	EPO; JPO; DERWENT; IBM_TDB	2004/07/16 09:06
-	0	whether near3 (each or every or all) with (complet\$4 or finish\$2 or done) with initializ\$5	USPAT	2004/07/16 09:49
-	0	"402118868"	JPO; DERWENT	2004/07/16 09:10
-	7	"2118868"	JPO; DERWENT	2004/07/16 09:11
-	1	"02118868"	JPO; DERWENT	2004/07/16 09:11
-	6090	(start\$3 or initializ\$5) near4 (arbitrat\$3 or select\$3 or elect\$3) with signal	USPAT	2004/07/16 09:59
-	1733	(start\$3 or initializ\$5) near4 (arbitrat\$3 or select\$3 or elect\$3) with signal	JPO	2004/07/16 09:50
-	1049	(start\$3 or initializ\$5) near4 (arbitrat\$3 or select\$3 or elect\$3) with signal	DERWENT; IBM_TDB	2004/07/16 09:50
-	4578	(start\$3 or initializ\$5) near3 (arbitrat\$3 or select\$3 or elect\$3) with signal	USPAT	2004/07/16 09:51
-	73	(start\$3 or initializ\$5) near4 (arbitrat\$3 or select\$3 or elect\$3) with signal	EPO	2004/07/16 09:51
-	1375	(start\$3 or initializ\$5) near4 (arbitrat\$3 or elect\$3) with signal	USPAT	2004/07/16 10:00
-	166	((start\$3 or initializ\$5) near4 (arbitrat\$3 or elect\$3) with signal) and g06f\$.ipc.	USPAT	2004/07/16 10:01
-	8	((start\$3 or initializ\$5) near4 (arbitrat\$3 or elect\$3) with signal) with processor\$1) and g06f\$.ipc.	USPAT	2004/07/16 10:01